

# How To Make Yourself Orgasm

How To Make Yourself Orgasm

Downloaded from [www.everybodystreet.com](http://www.everybodystreet.com) by Ramirez & Montgomery

## INTRODUCTION: UNDERSTANDING SELF-PLEASURE

Learning how to make yourself orgasm is a journey of self-discovery that goes far beyond simple physical sensation. For many people, reaching climax during solo play can feel elusive, frustrating, or even impossible. Yet, the ability to experience orgasm on your own terms is one of the most empowering skills you can develop. It builds body confidence, deepens your understanding of what brings you pleasure, and often enhances partnered intimacy. Whether you have never had an orgasm or you want to improve the quality and reliability of your solo sessions, this guide will walk you through proven techniques, mental shifts, and practical strategies. The key is to approach self-pleasure with curiosity, patience, and a willingness to experiment. In this article, we will explore the anatomy of arousal, effective stimulation methods for different bodies, the role of the mind, and how to create the right environment. By the end, you will have a toolkit of techniques that can help you consistently reach orgasm during solo play.

## WHY SOME PEOPLE STRUGGLE TO ORGASM ALONE

It is surprisingly common to find it difficult to make yourself orgasm. Social taboos, lack of education about female and male pleasure, performance pressure, and simple physical factors all play a role. Many people have never been taught how their own bodies respond to touch. Others may feel rushed, distracted, or anxious. Understanding these barriers is the first step to overcoming them. Common reasons include:

- **Insufficient arousal:** Rushing into direct stimulation without building desire first can make orgasm more difficult.
- **Performance anxiety:** Worrying about “taking too long” or “doing it wrong” activates the stress response, which hinders the relaxation needed for climax.
- **Lack of variety:** Repeating the same motions without adjusting pressure, speed, or location can lead to desensitization.
- **Negative beliefs:** Cultural or religious messages may create subconscious guilt around self-pleasure.
- **Medical or hormonal factors:** Certain medications, hormonal changes, or conditions like diabetes can affect arousal and orgasm.

Recognizing that these obstacles are common and solvable is the first step toward success. The rest of this article will provide actionable methods to address each of these issues.

## PREPARING YOUR BODY AND MIND FOR ORGASM

# Mindset: Letting Go of Goals

One of the most counterintuitive truths about how to make yourself orgasm is that focusing solely on the goal of orgasm often makes it harder to achieve. Instead, shift your intention to exploration and pleasure. Consider your solo session as time to simply feel good, without any attachment to outcome. This reduces performance anxiety and allows your body’s natural arousal to build. Use affirmations like, “I am here to enjoy my body,” rather than, “I need to come.” The paradox is that when you release the pressure, orgasm often arrives more easily.

# Setting the Scene

Your environment significantly affects your ability to relax and become aroused. Create a space where you feel safe, private, and comfortable. Dim the lights, lock the door, and eliminate interruptions. Consider:

- Playing soft music or nature sounds to mask outside noise.
- Using pillows to support your body in a comfortable position.
- Adjusting room temperature to be warm enough for you to feel relaxed without shivering.
- Using lubricant – even if you think you don’t need it, a high-quality water-based or silicone lubricant can dramatically increase sensitivity and comfort.

# Time and Patience

Rushing is a common enemy of orgasm. Allocate at least 30 minutes of uninterrupted time. If you are new to self-pleasure, expect that it may take 20 to 40 minutes of consistent, enjoyable stimulation to build to climax. That is normal. As you become more familiar with your responses, you may find you can arrive more quickly, but never rush the process.

## PHYSICAL TECHNIQUES FOR SELF-STIMULATION

There is no single “correct” way to make yourself orgasm because every body responds differently. However, most people find that the clitoris (for those with a vulva) or the penis and prostate (for those with a penis) are primary pleasure centers. Below are techniques divided by anatomy, but remember that these are starting points – experimentation is key.

# For Vulva Owners: Clitoral and Vaginal Stimulation

The clitoris is the most sensitive erogenous zone for the vast majority of people with vulvas. It has over 8,000 nerve endings, and direct or indirect clitoral stimulation is the most reliable path to orgasm for many. However, the glans (external tip) can be too sensitive for direct touch when not lubricated enough. Try these methods:

- **Circular or side-to-side motion:** Using one or two fingers, gently circle the clitoris. Vary the speed and pressure. Start on the hood (the skin covering the glans) and gradually move closer as arousal builds.
- **Vibrators:** A small bullet vibrator or wand vibrator applied to the clitoral area can help many reach orgasm more easily. Vibrators deliver consistent, powerful stimulation that fingers

cannot always mimic.

- **Grinding against a pillow or object:** Lying on your stomach and rhythmically pressing your vulva against a firm pillow or rolled-up towel can provide broad stimulation that some find intensely arousing.
- **Combining clitoral and vaginal stimulation:** For those who enjoy internal sensation, using a curved dildo or fingers to stimulate the G-spot (the spongy area on the front wall of the vagina, about two inches inside) while also stimulating the clitoris can lead to blended orgasms. Use plenty of lubricant.
- **Change positions:** Experiment with lying on your back with knees bent, sitting up, standing, or lying on your side. Different positions shift blood flow and muscle tension, which can change sensation.

# For Penis Owners: Stimulation of the Penis and Perineum

Penis owners typically require consistent stimulation of the most sensitive areas – the glans (head), frenulum (the V-shaped ridge underneath the head), and the shaft. But many also find that focusing solely on the penis limits orgasm quality. Prostate stimulation, either externally through the perineum or internally, can create much deeper, more intense orgasms.

- **Variety of strokes:** Instead of a single repetitive motion, vary the grip, speed, and direction. Try using a looser grip and focusing on the glans with a circular thumb motion. Experiment with alternating fast and slow strokes.
- **Using lubricant:** Many men masturbate without lube, but adding a water-based lubricant can enhance sensation and reduce friction, especially if you have circumcised skin that may be less sensitive.
- **Toys for penis stimulation:** Masturbators (sleeves, strokers, or full-sized toys like the Fleshlight) provide texture and gentle suction that fingers cannot replicate. Some men find it easier to orgasm with a toy because it reduces the need to grip tightly.
- **Prostate massage:** Stimulating the prostate externally (by pressing on the perineum, the area between the scrotum and anus) or internally (with a finger or curved prostate massager) can lead to powerful orgasms that feel different from a typical penile orgasm. Start with clean hands, lubricant, and gentle pressure.
- **Edging:** Bring yourself to the brink of orgasm, then stop all stimulation for 30 seconds to a minute. Repeat this several times before allowing yourself to climax. Edging can build arousal and make the final orgasm more intense.

# For All Bodies: Pelvic Floor Awareness

Your pelvic floor muscles play a critical role in orgasm. Learning to contract and relax them can intensify sensation and help trigger climax. Practice Kegel exercises: tighten the muscles you would use to stop urine flow, hold for three seconds, then release completely. During masturbation, consciously relax your pelvic floor as you sense arousal building. Paradoxically, many people unconsciously clench these muscles when they are close to orgasm, which can actually block it. Instead, take deep breaths and gently contract and release your pelvic floor rhythmically as you stimulate yourself.

## THE MENTAL GAME: FANTASIES, BREATH, AND RELAXATION

Physical technique is only half the equation. Your mind is your most powerful sexual organ. If you are distracted, stressed, or self-critical, the physical stimulation may not be enough to break through the arousal plateau. Here are mental strategies that support orgasm.

# Use Erotic Fantasy or Media

Engaging your imagination can accelerate arousal significantly. Consider reading erotic stories, watching ethical adult content, or recalling a past pleasurable experience. Fantasies are a safe, private way to increase desire. If you worry that using fantasy means you are not “present,” rest assured – it is a normal and effective tool.

# Breathwork

When you are close to orgasm, many people instinctively hold their breath. This can cause tension and inadvertently delay climax. Instead, practice deep, rhythmic breathing: inhale through your nose for four seconds, exhale through your mouth for six. As you feel arousal building, imagine sending your breath down to your pelvis. This oxygenates your muscles and keeps your nervous system in a relaxed, parasympathetic state, which is essential for orgasm.

# Staying Out of Your Head

If you catch yourself thinking, “When is this going to happen?” or “Am I doing this right?” gently redirect your attention to a specific physical sensation – the texture of your skin, the rhythm of your touch, or the warmth spreading through your body. Use your five senses to anchor yourself in the present moment.

## ADDITIONAL TOOLS AND LUBRICANTS

Sometimes your hands alone are not enough to achieve orgasm, and that is perfectly normal. Incorporating tools can make self-pleasure easier, more varied, and more satisfying.

- **Vibrators:** As mentioned, clitoral vibrators, wands, and rabbit-style toys are extremely effective for many people. For penis owners, vibrating rings worn on the base of the penis or vibrating massagers applied to the frenulum or perineum can be helpful.
- **Dildos and prostate massagers:** These target internal erogenous zones for those that enjoy penetration.
- **Lubricant:** Do not underestimate the difference a good lubricant makes. It reduces friction,

increases sensitivity, and makes touch feel more effortless. Silicone lubes last longer but are not compatible with silicone toys; water-based lubes are versatile.

- **Massage oils or lotions:** A warm, scented oil used on the thighs, stomach, and genital area can add a sensuous dimension and help you feel more connected to your body.

---

ADDRESSING COMMON HURDLES

---

## I Feel Numb or Desensitized

If you have been using a strong vibrator frequently, you may have built up a tolerance. Take a break from toys for a week or so, then return to hands-only stimulation or a lower-powered toy. Also, ensure you are fully aroused before direct genital stimulation – spend time caressing your whole body first.

## I Can Only Orgasm in One Position or Way

It is common to rely on a “tried and true” method, but if that method stops working, it can cause frustration. Deliberately vary your routine: different time of day, different room, different type of stimulation. Variety keeps your brain engaged and can unlock new pathways to orgasm.

## I Have an Orgasm Block Due to Medication

Selective serotonin reuptake inhibitors (SSRIs) and some blood pressure medications can make orgasm very difficult. Talk to your doctor – they may adjust your dose or suggest a different medication. In the meantime, experiment with edging and very long sessions (60+ minutes) while using plenty of lubricant and perhaps a vibrator with low, steady intensity.

---

BEYOND THE ORGASM: SELF-CARE AFTERPLAY

---

Whether or not you achieve orgasm, how you treat yourself afterward matters. Avoid rushing away to check your phone or feeling disappointed if you didn’t climax. Instead, lie quietly for a few minutes, breathe deeply, and notice any sensations in your body. This aftercare reinforces a positive, non